ELSEVIER

Brain Research Protocols 5 (2000) 320–321

BRAIN RESEARCH PROTOCOLS

www.elsevier.com/locate/bres

CONTENTS OF BRAIN RESEARCH PROTOCOLS VOLUME 5

VOL. 5 NO. 1 **FEBRUARY 2000**

Protocols

Making features relevant: learning faces and event-related potentials recording using an analytic procedure
E.I. Olivares, J. Iglesias, M.A. Bobes and M. Valdés-Sosa (Spain, Cuba) 1

Exchange transfusion with fluorocarbon for studying synaptically evoked optical signal in rat cortex
Y. Nomura, F. Fujii, C. Sato, M. Nemoto and M. Tamura (Japan) 10

Microdialysis in the mouse nucleus accumbens: a method for detection of monoamine and amino acid neurotransmitters with simultaneous assessment of locomotor activity
M.F. Olive, K.K. Mehmert and C.W. Hodge (USA) 16

Neurophysiological evaluation of tactile space perception deficits through transcranial magnetic stimulation
M. Oliveri, P.M. Rossini, P. Cicinelli, R. Traversa, P. Pasqualetti, M.M. Filippi and C. Caltagirone (Italy) 25

Gold toning preserves integrity of silver enhanced immunogold particles during osmium tetroxide treatment for demonstration of a biogenic amine
G. Leitinger, M.A. Pabst and K. Keal (Austria) 30

Immunocytochemical detection of two nuclear proteins within the same neuron using light microscopy
A.C. McInvale, R.E. Harlan and M.M. Garcia (USA) 39

Immunocytochemical detection of Fos protein combined with anterograde tract-tracing using biotinylated dextran
H. Sequeira, P. Poulain, S. Ba-M'Hamed and O. Viltart (France, Morocco) 49

Using event-related fMRI to assess delay-period activity during performance of spatial and nonspatial working memory tasks
B.R. Postle, E. Zarahn and M. D'Esposito (USA) 57

Using intracranial electrical stimulation to study the timing of prepulse inhibition of the startle reflex
L. Li and J.S. Yeomans (Canada) 67

Delivering drugs, via microdialysis, into the environment of extracellularly recorded hippocampal neurons in behaving primates
N. Ludvig, M.C. Nguyen, J.M. Botero, H.M. Tang, F. Scalia, B.A. Scharf and J.G. Kral (USA) 75

Isolation and characterization of adult microglial cells and oligodendrocytes derived from postmortem human brain tissue
C.J.A. De Groot, L. Montagne, I. Janssen, R. Ravid, P. Van Der Valk and R. Veerhuis (Netherlands) 85

Improved recovery of highly enriched mitochondrial fractions from small brain tissue samples
M.F. Anderson and N.R. Sims (Australia) 95

Methods for analysis of Ca^{2+}/H^{+} antiport activity in synaptic vesicles isolated from sheep brain cortex
P.P. Gonçalves, S.M. Meireles, P. Neves and M.G.P. Vale (Portugal) 102

Technique for collecting cerebrospinal fluid in the cisterna magna of non-anesthetized rats
A.R. Consiglio and A.B. Lucion (Brazil) 109

Cytochemical and immunocytochemical methods for electron microscopic detection of glucose-6-phosphate dehydrogenase in brain areas
P. Ninfali, E. Biagiotti, L. Guidi, M. Malatesta, G. Gazzanelli and P. Del Grande (Italy) 115

VOL. 5 NO. 2 **APRIL 2000**

Protocols

A differential display protocol to identify differentially expressed mRNAs in potassium-deprived cerebellar granule cells
M. Roschier, E. Kuusisto and A. Salminen (Finland) 121

Measurement of intracellular calcium levels by the fluorescent Ca^{2+} indicator Calcium-Green
V. Silei, C. Fabrizi, G. Venturini, F. Tagliavini, M. Salmona, O. Bugiani and G.M. Lauro (Italy) 132

Improved selective, simple, and contrast staining of acidophilic neurons with vanadium acid fuchsin
I.V. Victorov, K. Prass and U. Dirnagl (Russia, Germany) 135

Autoradiographic characterisation of β-adrenoceptors in chick brain using [^{3}H]CGP 12177
R. Revilla, V. Revilla and A. Fernández-López (Spain) 140

Gas-tissue autoradiography using [^{15}O] molecular oxygen for visualization of mitochondrial oxygen fixation in brain slices
T. Sasaki, S.-i. Ishii and M. Senda (Japan) 146

Methods to induce primary and secondary traumatic damage in organotypic hippocampal slice cultures
Y. Adamchik, M.V. Frantseva, M. Weisspapir, P.L. Carlen and J.L. Perez Velazquez (Canada) 153

Expression analysis of *Escherichia coli lacZ* reporter gene in transgenic mice
E. Takahashi, N. Miyamoto, N. Kajiwara, K. Furuya, K. Yanai-Taniguchi, F. Sugiyama and K.-i. Yagami (Japan) 159

ELSEVIER

Brain Research Protocols 5 (2000) 320–321

BRAIN RESEARCH PROTOCOLS

www.elsevier.com/locate/bres

CONTENTS OF BRAIN RESEARCH PROTOCOLS VOLUME 5

VOL. 5 NO. 1 **FEBRUARY 2000**

Protocols

Making features relevant: learning faces and event-related potentials recording using an analytic procedure
E.I. Olivares, J. Iglesias, M.A. Bobes and M. Valdés-Sosa (Spain, Cuba) 1

Exchange transfusion with fluorocarbon for studying synaptically evoked optical signal in rat cortex
Y. Nomura, F. Fujii, C. Sato, M. Nemoto and M. Tamura (Japan) 10

Microdialysis in the mouse nucleus accumbens: a method for detection of monoamine and amino acid neurotransmitters with simultaneous assessment of locomotor activity
M.F. Olive, K.K. Mehmert and C.W. Hodge (USA) 16

Neurophysiological evaluation of tactile space perception deficits through transcranial magnetic stimulation
M. Oliveri, P.M. Rossini, P. Cicinelli, R. Traversa, P. Pasqualetti, M.M. Filippi and C. Caltagirone (Italy) 25

Gold toning preserves integrity of silver enhanced immunogold particles during osmium tetroxide treatment for demonstration of a biogenic amine
G. Leitinger, M.A. Pabst and K. Keal (Austria) 30

Immunocytochemical detection of two nuclear proteins within the same neuron using light microscopy
A.C. McInvale, R.E. Harlan and M.M. Garcia (USA) 39

Immunocytochemical detection of Fos protein combined with anterograde tract-tracing using biotinylated dextran
H. Sequeira, P. Poulain, S. Ba-M'Hamed and O. Viltart (France, Morocco) 49

Using event-related fMRI to assess delay-period activity during performance of spatial and nonspatial working memory tasks
B.R. Postle, E. Zarahn and M. D'Esposito (USA) 57

Using intracranial electrical stimulation to study the timing of prepulse inhibition of the startle reflex
L. Li and J.S. Yeomans (Canada) 67

Delivering drugs, via microdialysis, into the environment of extracellularly recorded hippocampal neurons in behaving primates
N. Ludvig, M.C. Nguyen, J.M. Botero, H.M. Tang, F. Scalia, B.A. Scharf and J.G. Kral (USA) 75

Isolation and characterization of adult microglial cells and oligodendrocytes derived from postmortem human brain tissue
C.J.A. De Groot, L. Montagne, I. Janssen, R. Ravid, P. Van Der Valk and R. Veerhuis (Netherlands) 85

Improved recovery of highly enriched mitochondrial fractions from small brain tissue samples
M.F. Anderson and N.R. Sims (Australia) 95

Methods for analysis of Ca^{2+}/H^{+} antiport activity in synaptic vesicles isolated from sheep brain cortex
P.P. Gonçalves, S.M. Meireles, P. Neves and M.G.P. Vale (Portugal) 102

Technique for collecting cerebrospinal fluid in the cisterna magna of non-anesthetized rats
A.R. Consiglio and A.B. Lucion (Brazil) 109

Cytochemical and immunocytochemical methods for electron microscopic detection of glucose-6-phosphate dehydrogenase in brain areas
P. Ninfali, E. Biagiotti, L. Guidi, M. Malatesta, G. Gazzanelli and P. Del Grande (Italy) 115

VOL. 5 NO. 2 **APRIL 2000**

Protocols

A differential display protocol to identify differentially expressed mRNAs in potassium-deprived cerebellar granule cells
M. Roschier, E. Kuusisto and A. Salminen (Finland) 121

Measurement of intracellular calcium levels by the fluorescent Ca^{2+} indicator Calcium-Green
V. Silei, C. Fabrizi, G. Venturini, F. Tagliavini, M. Salmona, O. Bugiani and G.M. Lauro (Italy) 132

Improved selective, simple, and contrast staining of acidophilic neurons with vanadium acid fuchsin
I.V. Victorov, K. Prass and U. Dirnagl (Russia, Germany) 135

Autoradiographic characterisation of β-adrenoceptors in chick brain using [^{3}H]CGP 12177
R. Revilla, V. Revilla and A. Fernández-López (Spain) 140

Gas-tissue autoradiography using [^{15}O] molecular oxygen for visualization of mitochondrial oxygen fixation in brain slices
T. Sasaki, S.-i. Ishii and M. Senda (Japan) 146

Methods to induce primary and secondary traumatic damage in organotypic hippocampal slice cultures
Y. Adamchik, M.V. Frantseva, M. Weisspapir, P.L. Carlen and J.L. Perez Velazquez (Canada) 153

Expression analysis of *Escherichia coli lacZ* reporter gene in transgenic mice
E. Takahashi, N. Miyamoto, N. Kajiwara, K. Furuya, K. Yanai-Taniguchi, F. Sugiyama and K.-i. Yagami (Japan) 159

PCR amplification in bisulfite methylcytosine mapping in the GC-rich promoter region of amyloid precursor protein gene in autopsy human brain
Y. Nagane, K. Utsugisawa and H. Tohgi (Japan) 167
An in vitro model for the study of taste papillae morphogenesis using branchial arch explants
J. Morris-Wiman, L. Brinkley and R. Sega (USA) 172
A simple method using ^{31}P-NMR spectroscopy for the study of protein phosphorylation
H. Hirai, K. Yoshioka and K. Yamada (Japan) 182
A sensitive quantification method for evaluating the level of hepatocyte growth factor and c-*met*/HGF receptor mRNAs in the nervous system using competitive RT-PCR
W. Sun, H. Funakoshi, K. Matsumoto and T. Nakamura (Japan) 190
Progressive calibrated pressure device to measure cutaneous blood flow changes to external pressure strain
B. Fromy, P. Abraham and J.-L. Saumet (France) 198
The salicylate hydroxylation assay to measure hydroxyl free radicals induced by local application of glutamate in vivo or induced by the Fenton reaction in vitro
P. Teismann and B. Ferger (Germany) 204
Application of real-time polymerase chain reaction for the quantitation of interleukin-1β mRNA upregulation 1 in brain ischemic tolerance
X. Li and X. Wang (USA) 211

VOL. 5 NO. 3 **JULY 2000**

Protocols

A physiological method to selectively decrease brain serotonin release
F. Fadda, S. Cocco, R. Stancampiano (Italy) 219
An improved method for avulsion of lumbar nerve roots as an experimental model of nitric oxide-mediated neuronal degeneration
J.-w. He, K. Hirata, A. Kuraoka, M. Kawabuchi (Japan) 223
Analysis of the molecular heterogeneity of the microtubule-associated protein tau by two-dimensional electrophoresis and RT-PCR
C. Janke, M. Beck, M. Holzer, V. Bigl, T. Arendt (Germany) 231
The novel PCR-based technique of genotyping applied to identification of *scrambler* mutation in mice
N. Usman, V. Tarabykin, P. Gruss (Germany, Russia) 243
Primary cultures of brain microvessel endothelial cells: a valid and flexible model to study drug transport through the blood–brain barrier in vitro
H. Franke, H.-J. Galla, C.T. Beuckmann (Federal Republic of Germany) 248
Electrophoretic mobility shift assay for the detection of specific DNA–protein complex in nuclear extracts from the cultured cells and frozen autopsy human brain tissue
D.K. Lahiri, Y.-W. Ge (USA) 257
Resazurin detection of energy metabolism changes in serum-starved PC12 cells and of neuroprotective agent effect
E. Magnani, E. Bettini (Italy) 266
Immunofluorescence and biochemical techniques to detect nuclear localization of ciliary neurotrophic factor in glial cells
A. Bajetto, S. Barbero, R. Bonavia, G. Chimini, G. Schettini (Italy, France) 273
Culturing neuronal cells on surfaces coated by a novel polyethyleneimine-based polymer
Y. Bledi, A.J. Domb, M. Linial (Israel) 282
Molecular localisation of a G-protein mRNA using differential display and in situ hybridization
R. Wilkinson, D. Tscharke, A. Simmons (Australia, UK) 290
Double immunocytochemistry for the detection of Fos protein in retrogradely identified neurons using cholera toxin B subunit
S. Leman, O. Viltart, H. Sequeira (France) 298
Combined TUNEL and double immunofluorescent labeling for detection of apoptotic mononuclear phagocytes in autoimmune demyelinating disease
S.K. Ray, K.E. Schaecher, D.C. Shields, E.L. Hogan, N.L. Banik (USA) 305
Hydra biological detection of biologically active peptides in rat cerebrospinal fluid
Y. Manabe, H. Yamazaki, C. Fukuda, K. Inoue, T. Fushiki, K. Hanai (Japan) 312

Author Index 318